

List of References

- Adams, D.A., J.S. O'Connor, and S.B. Weisberg. 1998. *Final Report: Sediment Quality of the NY/NJ Harbor System – An Investigation under the Regional Environmental Monitoring and Assessment Program (REMAP)*. EPA/902-R-98-001. Prepared for the U.S. Environmental Protection Agency, Division of Environmental Science and Assessment, Region 2, Edison, NJ. Web site at www.epa.gov/emap/remap/html/docs/nynjharbor.html.
- American Society of Testing and Materials (ASTM). 1995. *Standard Test Methods for Measuring the Toxicity of Sediment-Associated Contaminants with Fresh Water Invertebrates*. ASTM Designation E-1706-95b. ASTM Standard Methods Series, Volume 11.05. The American Society of Testing and Materials, Philadelphia, PA.
- Atlantic States Marine Fisheries Commission (ASMFC). 2000. *American Lobster Stock Assessment for Peer Review*. Stock Assessment Report No. 00-01 (Supplement). Atlantic States Marine Fisheries Commission Special Report 61, Washington, DC.
- Baldwin-Brown, A., B. Cann, R. Connell, A. Korndoerfer, M. Kusmiez, L. McGeorge, P. Morton, P. Olsen, J. Sell, M. Serfes, T. Vernam. 2003. *Water Quality Monitoring Networks 2003*. New Jersey Department of Environmental Protection, Water Monitoring and Standards, Trenton, NJ. Web site at <http://www.state.nj.us/dep/wmm/brochure/networks.html>.
- Boesch, D.F. 2002. Challenges and opportunities for science in reducing nutrient over-enrichment of coastal ecosystems. *Estuaries* 25:744–758.
- Boyer, E.W. C.L. Goodale, N.A. Jaworski, and R.W. Howarth. 2002. Anthropogenic nitrogen sources and relationships to riverine export in the northeastern U.S.A. *Biogeochemistry* 57/58:137–169.
- Bricker, S.B., C.G. Clement, D.E. Pirhalla, S.P. Orlando, and D.R.G. Farrow. 1999. *National Estuarine Eutrophication Assessment: Effects of Nutrient Enrichment in the Nation's Estuaries*. Prepared for the National Oceanic and Atmospheric Administration, National Ocean Service, Special Projects Office and the National Centers for Coastal Ocean Science, Silver Spring, MD.
- Carlton, J.T. 2001. *Introduced Species in U.S. Coastal Waters: Environmental Impacts and Management Priorities*. Prepared for the Pew Oceans Commission, Arlington, VA.
- Chapman, P.M. 1990. The Sediment Quality Triad approach to determining pollution-induced degradation. *The Science of the Total Environment* 97/98:815–825.

- Chapra, S.C., and H.F.H. Dobson. 1981. Quantification of the lake trophic typologies of Naumann (surface quality) and Thienemann (oxygen) with special reference to the Great Lakes. *International Association for Great Lakes Research* 7(2):182–193.
- Chary, L.K. 2000. Persistent Organic Pollutants in Alaska. Circumpolar Conservation Union, Washington, DC. Web site at www.circumpolar.org.
- Clark, S.H., S.X. Cadrin, D.F. Schick, P.J. Diodati, M.P. Armstrong, and D. McCarron. 2000. The Gulf of Maine northern shrimp (*Pandalus borealis*) fishery: A review of the record. *Journal of Northwest Atlantic Fish Science* 27:193–226.
- Coiro, L., S.L. Poucher, and D. Miller. 2000. Hypoxic effects on growth of *Palaemonetes vulgaris* larvae and other species: Using constant exposure data to estimate cyclic exposure response. *Journal of Experimental Biology and Ecology* 247:243–255.
- Committee on the Environment and Natural Resources (CENR). 2000. *Integrated Assessment of Hypoxia in the Northern Gulf of Mexico*. National Science and Technology Council Committee on Environment and Natural Resources, Washington, DC.
- Council for Agricultural Science and Technology (CAST). 1999. *Gulf of Mexico Hypoxia: Land and Sea Interactions*. Task Force Report No. 134.
- Cunningham, C., and K. Walker. 1996. Enhancing public access to the coast through the CZMA. *Current: The Journal of Marine Education* 14(1):8–12.
- Dahl, T.E. 1990. *Wetlands—Losses in the United States, 1780's to 1980's*. U.S. Department of the Interior, Fish and Wildlife Service, Report to Congress, Washington, DC.
- Dahl, T.E. 2003. *Results of the 2000 National Wetlands Inventory*. U.S. Department of Interior, Fish and Wildlife Service, Washington, DC. Unpublished.
- Daskalakis, K.D., and T.P. O'Conner. 1994. *Inventory of Chemical Concentrations in Coastal and Estuarine Sediments*. Prepared for the National Oceanic and Atmospheric Administration, National Ocean Service, Silver Spring, MD. NOAA Technical Memorandum NOS ORCA 76.
- Dauer, D.M., M.F. Lane, and R.J. Llansó. 2002. *Development of Diagnostic Approaches to Determine Sources of Anthropogenic Stress Affecting Benthic Community Condition in the Chesapeake Bay. Final Report*. Submitted to U.S. EPA Chesapeake Bay Program Office, Annapolis, MD.
- Dettmann, E.H. 2001. Effect of water residence time on annual export and denitrification of nitrogen in estuaries: a model analysis. *Estuaries* 24:481–490.
- Diaz, R.J., and R. Rosenberg. 1995. Marine benthic hypoxia: A review of it ecological effects and the behavioral responses of benthic macrofauna. *Oceanography and Marine Biology Annual Review* 33:245–303.

- DiToro, D.M., C.S. Zarba, D.J. Hansen, W.J. Berry, R.C. Swartz, C.E. Cowan, S.P. Pavlou, H.E. Allen, N.A. Thomas, and P.R. Paquin. 1991. Technical basis for establishing sediment quality criteria for nonionic organic chemicals using equilibrium partitioning. *Environmental Toxicology Chemistry* 10:1541–1583.
- Duke, T.W., and W.L. Kruczynski (eds). 1992. *Status and Trends of Emergent and Submerged Vegetated Habitats of the Gulf of Mexico*. EPA/800-R-92-003. Gulf of Mexico Program, U.S. Environmental Protection Agency, Stennis Space Center, MS.
- Engel, D.W., and G.W. Thayer. 1998. Effects of habitat alteration on blue crabs. *Journal of Shellfish Research* 17(2):579–586.
- Engle, V.D., and J.K. Summers. 1999. Refinement, validation, and application of a benthic condition index for northern Gulf of Mexico estuaries. *Estuaries* 22(3A):624–635.
- Engle, V.D., J.K. Summers, and G.R. Gaston. 1994. A benthic index of environmental condition of Gulf of Mexico estuaries. *Estuaries* 17:372–384.
- Galveston Bay National Estuary Program (GBNEP). 1994a. *The Galveston Bay Plan: The Comprehensive Conservation and Management Plan for the Galveston Bay Ecosystem*. GBNEP-49. Webster, TX.
- Galveston Bay National Estuary Program (GBNEP). 1994b. *The State of the Bay: A Characterization of the Galveston Bay Ecosystem*. GBNEP-44. Webster, TX.
- Galveston Bay National Estuary Program (GBNEP). 2002. *The State of the Bay: A Characterization of the Galveston Bay Ecosystem, Second Edition*. Galveston Bay National Estuary Program Publication Series GBNEP T-7.
- Gersten, J. 1995. Galveston Bay Characterization, Texas Water Resources. Texas Water Resources Institute, Texas A&M University, College Station, TX 21(4).
- Goolsby, D.A., W.A. Battaglin, G.B. Lawrence, R.S. Artz, B.T. Aulenbach, R.P. Hooper, D.R. Keeney, and G.J. Stensland. 1999. *Flux and Sources of Nutrients in the Mississippi-Atchafalaya River Basin: Topic 3 Report for the Integrated Assessment on Hypoxia in the Gulf of Mexico*. National Oceanic and Atmospheric Administration, Coastal Ocean Program Decision Analysis Series No. 17. NOAA Coastal Ocean Program, Silver Spring, MD.
- Grabe, S.A., D.J. Karlen, C.M. Holden, B. Goetting, and T. Dix. 2002. *Tampa Bay Benthic Monitoring Program: Status of Hillsborough Bay, 1993–1998*. Environmental Protection Commission of Hillsborough County, FL.
- Green, A., M. Osborn, P. Chai, J. Lin, C. Loeffler, A. Morgan, P. Rubec, S. Spanyers, A. Walton, R.D. Slack, D. Gawlik, D. Harpole, J. Thomas, E. Buskey, K. Schmidt, R. Zimmerman, D. Harper, D. Hinkley, and T. Sager. 1992. *Status and Trends of Selected*

- Living Resources in the Galveston Bay System*. Galveston Bay National Estuary Program Publication GBNEP-19. Webster, TX.
- Gulf of Mexico Program (GMP). 2000. *A Framework for an Integrated and Comprehensive Monitoring Plan for Estuaries on the Gulf of Mexico*. EPA-620/R-00/005.
- Hagy, J.D. 2002. *Eutrophication, hypoxia and trophic transfer efficiency in Chesapeake Bay*. Ph.D. Dissertation. University of Maryland, College Park, MD.
- Hagy, J.D., W.R. Boynton, C.W. Keefe, and K.V. Wood. Date. *Hypoxia in Chesapeake Bay, 1950–2001: Long-Term Change in Relation to Nutrient Loading and River Flow*. Submitted to *Estuaries*.
- Hammar-Klose, E.S., and Thieler, E.R. 2001. *Coastal Vulnerability to Sea-Level Rise: A Preliminary Database for the U.S. Atlantic, Pacific, and Gulf of Mexico Coasts*. U.S. Geological Survey, Digital Data Series DDS-68.
- Jackson, L.E., J.C. Kurtz, and W.S. Fisher (eds.). 2000. *Evaluation Guidelines for Ecological Indicators*. EPA/620/R-99/005. U.S. Environmental Protection Agency, Office of Research and Development, Research Triangle Park, NC.
- Landry, M.R., J.R. Postel, W.K. Peterson, and J. Newman. 1989. Broad-scale patterns in the distribution of hydrographic variables. In *Coastal Oceanography of Washington and Oregon*. M.R. Landry and B.M. Hickey (eds.). Amsterdam: Elsevier Press.
- Lauenstein, G.G., E.A. Crecelius, and A.Y. Cantillo. 2000. *Baseline Metal Concentrations of the U.S. West Coast and Their Use in Evaluating Sediment Contamination*. Presented the Society for Environmental Toxicology and Chemistry Annual Meeting. Nashville, TN, November 12–15.
- Long, E.R., A. Robertson, D.A. Wolfe, J. Hameedi, and G.M. Sloane. 1996. Estimates of the spatial extent of sediment toxicity in major U.S. estuaries. *Environmental Sciences & Technology* 30:3585–3592.
- Long, E.R., and L.G. Morgan. 1990. *The Potential for Biological Effects of Sediment-Sorbed Contaminants Tested in the National Status and Trends Program*. National Oceanic and Atmospheric Administration, Office of Oceanography and Marine Assessment, Seattle WA. NOAA Technical Memorandum NOS OMA 52.
- Long, E.R., D.A. Wolfe, R.S. Carr, K.J. Scott, G.B. Thursby, H.L. Windom, R. Lee, F.D. Calder, G.M. Sloane, and T. Seal. 1994. *Magnitude and Extent of Sediment Toxicity in Tampa Bay, Florida*. National Oceanic and Atmospheric Administration, Office of Ocean Resources Conservation and Assessment, Silver Spring, MD. NOAA Technical Memorandum NOS ORCA 78.

- Long, E.R., D.D. MacDonald, S.L. Smith, and F.D. Calder. 1995. Incidence of adverse biological effects within ranges of chemical concentrations in marine and estuarine sediments. *Environmental Management* 19(1):81–97.
- Long, E.R., J. Hameedi, A. Robertson, M. Dutch, S. Aasen, K. Welch, S. Magoon, R. Carr, T. Johnson, J. Biedenbach, K. Scott, C. Mueller, and J. Anderson. 2000. *Sediment Quality in Puget Sound: Year 2, Central Puget Sound*. National Oceanic and Atmospheric Administration, National Ocean Service, Silver Spring, MD. NOS NCCOS CCMA Technical Memo No. 147; and Washington State Department of Ecology, Olympia, WA. Publication No. 00-03-055.
- Macauley, J.M., J.K. Summers, and V.D. Engle. 1999. Estimating the ecological condition of the estuaries of the Gulf of Mexico. *Environmental Monitoring and Assessment* 57:59–83.
- Martin, D.M., T. Morton, T. Dobrzynski, and B. Valentine. 1996. *Estuaries on the Edge: The Vital Link Between Land and Sea*. A Report by American Oceans Campaign. Available at <http://www.americanoseans.org/estuary/edge.htm>.
- May, E.B. 1973. Extensive oxygen depletion in Mobile Bay, Alabama. *Limnology and Oceanography* 18:353–366.
- MacDonald, D.D. 1994. *Development of an Approach to Assessing Sediment Quality in Florida Coastal Waters: Volume 2—Development of the Sediment Quality Assessment Guidelines*. Report prepared for Florida Department of Environmental Regulation. Tallahassee, FL.
- McFarlane, R.W. 2001. Colonial waterbirds population trends in Galveston Bay. In *Proceedings of the Fifth Galveston Bay Estuary Program State of the Bay Symposium*, Webster, TX, January 31–February 2. Galveston Bay Estuary Program Publication GBEP-5.
- Mearns, A.J., T.P. O'Connor, and G.G. Lauenstein. 1999. Relevance of the National Mussel Watch Program to seafood fisheries management issues during oil spill response. Proceedings, 1999 International Oil Spill Conference, American Petroleum Institute Publication 4686B, pp. 7001–7008.
- Mississippi River/Gulf of Mexico Watershed Nutrient Task Force. 2001. Action Plan for Reducing, Mitigating, and Controlling Hypoxia in the Northern Gulf of Mexico. Washington, DC.
- National Invasive Species Council. 2001. *Meeting the Invasive Species Challenge: National Invasive Species Management Plan*.
- National Marine Fisheries Service (NMFS). 2002. *NOAA Fisheries 2001 Report*. U.S. Department of Commerce, NOAA National Marine Fisheries Service, Silver Spring, MD.

- National Marine Fisheries Service (NMFS). 2003. *Our Living Oceans: Report on the Status of U.S. Living Marine Resources, 2001*. U.S. Department of Commerce, NOAA Tech. Memo. NMFS-F/SPO-41.
- National Marine Fisheries Service (NMFS). Personal communication. Fisheries Statistics and Economics Division, Silver Spring, MD. <http://www.st.nmfs.gov/st1/>.
- National Oceanic and Atmospheric Administration (NOAA)/U.S. Environmental Protection Agency (EPA). 1991. *Strategic Assessment of Near Coastal Waters. Susceptibility and Status of West Coast Estuaries to Nutrient Discharges: San Diego Bay to Puget Sound*. Summary Report. Strategic Assessment Branch, Rockville, MD.
- National Oceanic and Atmospheric Administration (NOAA). 1988. *A National Atlas: Health and Use of Coastal Waters, United States of America*. Fishery Resource Assessment Programs and Large Marine Ecosystems, Folio Map No. 7. National Ocean Service, Office of Oceanography and Marine Assessment.
- National Oceanic and Atmospheric Administration (NOAA). 1990. *Estuaries of the United States: Vital Statistics of a National Resource Base*. Strategic Assessment Branch, Ocean Assessments Division, OMA/NOS, Rockville, MD.
- National Oceanic and Atmospheric Administration (NOAA). 1998. *Population and Development in Coastal Areas*. Office of Ocean Resources Conservation and Assessment, Silver Spring, MD. Available at <http://spo.nos.noaa.gov/projects/population/population.html>.
- National Oceanic and Atmospheric Administration (NOAA). 1998a. "Population: Distribution, Density and Growth" by T.J. Culliton. NOAA's State of the Coast Report, Silver Spring, MD. Web site at http://state-of-coast.noaa.gov/bulletins/html/pop_01/pop.html.
- National Oceanic and Atmospheric Administration (NOAA). 1998b. *NOAA's Estuarine Eutrophication Survey, Vol. 5: Pacific Coast Region*. Office of Ocean Resources Conservation and Assessment, Silver Spring, MD.
- National Oceanic and Atmospheric Administration (NOAA). 1999. *Estuarine Eutrophication Survey*. National Assessment of Nutrient Enrichment Conditions in Estuaries, Office of Ocean Resources Conservation Assessment, Silver Spring, MD.
- National Research Council (NRC). 1997. *Striking a Balance: Improving Stewardship of Marine Areas*. National Academy Press, Washington, DC.
- National Research Council (NRC). 2000. *Clean Coastal Waters: Understanding and Reducing the Effects of Nutrient Pollution*. National Academy Press, Washington, DC.
- Nixon, S.W., J.W. Ammerman, L.P. Atkinson, V.M. Berounsky, G. Billen, W.C. Boicourt, W.R. Boynton, T.M. Chruch, D.M. DiToro, R. Elmgren, J.H. Garber, A.E. Giblin, R.A. Jahnke, N.J.P. Owens, M.E.Q. Pilson, and S.P. Seitzinger. 1996. The fate of nitrogen and

- phosphorous at the land-sea margin of the North Atlantic Ocean. *Biogeochemistry* 35:141–180.
- Northeast Fisheries Science Center. 2001a. *Report of the 32nd Northeast Regional Stock Assessment Workshop (32nd SAW) Stock Assessment Review Committee (SARC) Consensus Summary of Assessments*. Northeast Fisheries Science Center Reference Document 01-05, Woods Hole, MA.
- Northeast Fisheries Science Center. 2001b. *Report of the 33rd Northeast Regional Stock Assessment Workshop (33rd SAW) Stock Assessment Review Committee (SARC) Consensus Summary of Assessments*. Northeast Fisheries Science Center Reference Document 01-18, Woods Hole, MA.
- National Wetland Inventory (NWI). 2002. Results of the 2000 wetlands inventory. Personal Communication from Tom Dahl, U.S. Fish and Wildlife Service, National Wetland Inventory.
- O'Connor et al., 1998 ?
- O'Connor, T.P., and J.F. Paul. 2000. Misfit between sediment toxicity and chemistry. *Marine Pollution Bulletin* 40:59–64.???
- Paul, J.F., J.H. Gentile, K.J. Scott, S.C. Schimmel, D.E. Campbell, and R.W. Latimer. 1999. *EMAP–Virginian Province Four-Year Assessment Report (1990–1993)*. EPA 600/R-99/004. Prepared for the U.S. Environmental Protection Agency, Atlantic Ecology Division, Narragansett, RI.
- Paul, J.F., K.J. Scott, D.E. Campbell, J.H. Gentile, C.S. Strobel, R.M. Valente, S.B. Weisberg, A.F. Holland, and J.A. Ranasinghe. 2001. Developing and applying a benthic index of estuarine condition for the Virginian Province. *Ecological Indicators* 1:83–99.
- Paul, R.W. 2001. Geographical signatures of Middle Atlantic estuaries: Historical layers. *Estuaries* 24(2):151–166.
- Poag, C.W. 1999. *Chesapeake Invader, Discovering America's Giant Meteor Crater*. Princeton, NJ: Princeton University Press.
- Port of Houston Authority. 2003. Web site at <http://www.portofhouston.com/geninfo/overview1.html>.
- Puget Sound Water Quality Action Team. 2002. *Puget Sound's Health 2002: Status and Trends of Key Indicators of Puget Sound's Health*. Web site at <http://www.psat.wa.gov/Publications/pshealth2002/pshealth.html>.
- Pulich, W.M., Jr., and W.A. White. 1991. Decline of submerged vegetation in the Galveston Bay system: Chronology and relationship to physical processes. *Journal of Coastal Research* 7:1125–1138.

Rabalais, NN. Personal communication.

Rabalais, N.N., R.E. Turner, and W.J. Wiseman, Jr. 2002. Gulf of Mexico hypoxia, a.k.a. "The Dead Zone." *Annual Review of Ecology and Systematics* 33:235–263.

Rabalais, N.N., R.E. Turner, D. Justić, Q. Dortch, and W.J. Wiseman, Jr. 1999. *Characterization of Hypoxia: Topic 1 Report for the Integrated Assessment on Hypoxia in the Gulf of Mexico*. NOAA Coastal Ocean Program Decision Analysis Series No. 15. NOAA Coastal Ocean Program, Silver Spring, MD.

Robinson, L. 2003. Personal communication from Lance Robinson, Texas Parks and Wildlife Department to Thomas O'Connor, National Oceanic and Atmospheric Administration. May 2.

Roman, C.T., N. Jaworski, F.T. Short, S. Findlay, and R.S. Warren. 2000. Estuaries of the northeastern United States: Habitat and land use signatures. *Estuaries* 23(6):743–764.

Scavia, D., N. N. Rabalais, E.R. Turner, D. Justic, and W. W. Wiseman Jr. 2003. Predicting the response of Gulf of Mexico hypoxia to variations in Mississippi River nitrogen load. *Limnol. Oceanogr.* 48(3): 951-956.

Serchuk, F.M., and S.A. Murawski. 1997. The offshore molluscan resources of the northeastern coast of the United States: Surfclams, ocean quahogs, and sea scallops. In *The History, Present Condition, and Future of the Molluscan Fisheries of North and Central America and Europe, Volume 1, Atlantic and Gulf Coasts*. C.L. MacKenzie, Jr., V.G. Burrell, Jr., A. Rosenfield and W.L. Hobart (eds.). NOAA Tech. Rep. NMFS 127:45–62. U.S. Department of Commerce, Washington, DC.

Smith, R.A., G.E. Schwarz, and R.B. Alexander. 1997. Regional interpretation of water-quality monitoring data. *Water Resources Research* 33(12):2781–2798.

Smith, R.A., R.B. Alexander, G.D. Tasker, C.V. Price, K.W. Robinson, and D.A. White. 1993. Statistical Modeling of Water Quality in Regional Watersheds. In *Proceeding of Watershed '93, A national conference on watershed management*, Alexandria, VA, March 21–24. EPA-840-R-94-002. U.S. Environmental Protection Agency, Office of Water, Washington, DC.

Smith, R.W., M. Bergen, S.B. Weisberg, D. Cadien, A. Dalkey, D. Montagne, J.K. Stull, and R.G. Velarde. 1998. *Benthic Response Index for Assessing Infaunal Communities on the Mainland Shelf of Southern California*. Southern California Coastal Water Research Project, 1997–98 Annual Report, Westminster, CA.

Southern California Coastal Water Research Project (SCCWRP). 1998. *Southern California Bight 1994 Pilot Project*. Volumes I–V. Westminster, CA.

Stedman, S.M., and J. Hanson. 2000. *Habitat Connections: Wetlands, Fisheries and Economics in the South Atlantic Coastal States*. National Oceanic and Atmospheric Administration,

- National Marine Fisheries Service. Web site at <http://www.nmfs.noaa.gov/habitat/habitatconservation/publications/habitatconections/num2.htm>.
- Texas Department of Health (TDH). 2001. *TDH study shows fish, crabs from most of Galveston Bay safe to eat*. TDH News Release, October 25.
- Texas Natural Resources Conservation Commission. 2002. *The State of Galveston Bay*. Texas Commission on Environmental Quality. Web site at www.tnrcc.state.tx.us/admin/topdoc/pd/020/02-04/galvestonbay.html.
- Thayer, G.W., W.J. Kenworthy, and M.S. Fonesca. 1984. *The Ecology of Eelgrass Meadows of the Atlantic Coast: A Community Profile*. FWS/OBS-84/02. U.S. Fish and Wildlife Service, Washington, D.C.
- Turgeon, D.D., R.G. Asch, B.D. Causey, R.E. Dodge, W. Jaap, K. Banks, J. Delaney, B.D. Keller, R. Speiler, C.A. Matos, J.R. Garcia, E. Diaz, D. Catanzaro, C.S. Rogers, Z. Hillis-Starr, R. Nemeth, M. Taylor, G.P. Schmahl, M.W. Miller, D.A. Gulko, J.E. Maragos, A.M. Friedlander, C.L. Hunter, R.S. Brainard, P. Craig, R.H. Richond, G. Davis, J. Starmer, M. Trianni, P. Houk, C.E. Birkeland, A. Edward, Y. Golbuu, J. Gutierrez, N. Idechong, G. Paulay, A. Tafiileichig, and N. Vander Velde. 2002. *The State of Coral Reef Ecosystems of the United States and Pacific Freely Associated States: 2002*. National Oceanic and Atmospheric Administration, National Ocean Service, National Center for Coastal Ocean Science, Silver Spring, MD. Web site at <http://www.nccos.noaa.gov/publications/notables.html#corals>.
- Turner, R.E. and D.F. Boesch. 1988. Aquatic animal protection and wetland relationships: insights gleaned following wetland loss or gain. In *The Ecology and Management of Wetlands. Volume 1: Ecology of Wetlands*. D.D. Hook, W.H. McKee, Jr., H.K. Smith, J. Gregory, V.G. Burrell, Jr., M.R. Devoe, R.E. Sojka, S. Gilbert, R. Banks, L.H. Stolzy, C. Brooks, T.D. Matthews, and T.H. Shear (eds.). Portland, OR: Timber Press.
- U.S. Army Corps of Engineers. 1994b. ?
- U.S. Army Corps of Engineers. 2003. *Houston-Galveston Navigation Channel Project Online Resource Center*. USACE Galveston District, Galveston, TX. Web site at <http://www.swg.usace.army.mil/items/hgnc/>.
- U.S. Census Bureau. 1996. *Population in Coastal Counties: April 1, 1990 and July 1, 1994*. Bureau of the Census, Population Distribution Branch, Washington, DC. Web site at <http://www.census.gov/population/estimates/county/9094cstl.txt>.
- U.S. Census Bureau. 1997. *1997 Economic Census*. Bureau of the Census, Washington, DC. Web site at <http://www.census.gov/epcd/www/econ97.html>.

- U.S. Census Bureau. 2000. *U.S. Census 2000*. Bureau of the Census, Washington, DC. Web site at <http://www.census.gov/main/www/cen2000.html>.
- U.S. Census Bureau. 2001. *Current Population Reports, Series P23-205, Population Profile of the United States: America at the Close of the 20th Century*. U.S. Government Printing Office, Washington, DC.
- U.S. Department of Agriculture (USDA). 1999. *1997 Census of Agriculture. Volume 1: National, State, and County Tables*. National Agricultural Statistics Service. Web site at <http://www.nass.usda.gov/census/census97/volume1/vol1pubs.htm>.
- U.S. Environmental Protection Agency (EPA). 1993. *Proposed Sediment Quality Criteria for the Protection of Benthic Organisms: Acenaphthene*. EPA/822/F-93/006. Office of Science and Technology, Washington, DC.
- U.S. Environmental Protection Agency (EPA). 1994. *Methods for Assessing the Toxicity of Sediment-Associated Contaminants with Estuarine and Marine Amphipods*. EPA/600/R-94/025. Office of Research and Development, Washington, DC.
- U.S. Environmental Protection Agency (EPA). 1997. *The Incidence and Severity of Sediment Contamination in Surface Waters of the United States, Volume 1, National Sediment Quality Survey*. EPA-823-R-97-006. Office of Water, Washington, DC. Web site at <http://www.epa.gov/OST/cs/congress.html>.
- U.S. Environmental Protection Agency (EPA). 1998. *Clean Water Action Plan: Restoring and Protecting America's Waters*. EPA-840-R-98-001. Office of Water, Washington, DC.
- U.S. Environmental Protection Agency (EPA). 1999. *Ecological Condition of Estuaries in the Gulf of Mexico*. EPA-620-R-98-004. Office of Research and Development, National Health and Environmental Effects Research Laboratory, Gulf Ecology Division, Gulf Breeze, FL.
- U.S. Environmental Protection Agency (EPA). 2000a. *Ambient Water Quality Criteria for Dissolved Oxygen (Saltwater): Cape Cod to Cape Hatteras*. EPA-822-R-00-012. Office of Water, Washington, DC.
- U.S. Environmental Protection Agency (EPA). 2000b. *Guidance for Assessing Chemical Contaminant Data for Use in Fish Advisories, Volume 2: Risk Assessment and Fish Consumption Limits*. EPA-823-B-00-008. Office of Water, Washington, DC.
- U.S. Environmental Protection Agency (EPA). 2000c. *National Water Quality Inventory: 1998 Report to Congress*. EPA-841-R-00-001. Office of Water, Washington, DC.
- U.S. Environmental Protection Agency (EPA). 2000d. *Coastal 2000 Northeast Component Information Management Plan*. Draft report. Office of Research and Development, National Health and Environmental Effects Research Laboratory, Atlantic Ecology Division, Narragansett, RI.

- U.S. Environmental Protection Agency (EPA). 2001a. *National Coastal Condition Report*. EPA-620/R-01/005. Office of Research and Development and Office of Water, Washington, DC.
- U.S. Environmental Protection Agency (EPA). 2001b. Environmental Monitoring and Assessment Program (EMAP). National Coastal Assessment Quality Assurance Project Plan, 2001–2004. EPA/620/R-01/002. Office of Research and Development, National Health and Environmental Effects Research Laboratory, Gulf Ecology Division, Gulf Breeze, FL.
- U.S. Environmental Protection Agency (EPA). 2002. National Listing of Fish and Wildlife Advisories (NLFWA). Office of Science and Technology, Office of Water, Washington, DC.
- Van Dolah, R.F., J.L. Hyland, A.F. Holland, J.S. Rosen, and T.T. Snoots. 1999. A benthic index of biological integrity for assessing habitat quality in estuaries of the southeastern USA. *Marine Environmental Research* 48:(4–5):269–283.
- Van Dolah, R.F., P.C. Jutte, G.H.M. Riekerk, M.V. Levisen, L.E. Zimmerman, J.D. Jones, A.J. Lewitus, D.E. Chesnut, W. McDermott, D. Bearden, G.I. Scott, and M.H. Fulton. 2002. *The Condition of South Carolina's Estuarine and Coastal Habitats During 1999-2000: Technical Report*. Technical Report No. 90. South Carolina Marine Resources Division, Charleston, SC.
- Vitousek, P.M., H.A. Mooney, J. Lubchenco, and J.N. Melillo. 1997. Human domination of Earth's ecosystems. *Science* 277:494–499.
- Walton, A.H., and A.W. Green. 1993. *Probable Causes of Trends in Selected Living Resources in the Galveston Bay System*. Galveston Bay National Estuary Program. GBNEP-33.
- Weisberg, S.B., J.A. Ranasinghe, D.D. Dauer, L.C. Schnaffer, R.J. Diaz, and J.B. Frithsen. 1997. An estuarine benthic index of biotic integrity (B-IBI) for Chesapeake Bay. *Estuaries* 20(1):149–158.
- Whittington, D., D. Amaral, and G. Cassidy. 1993. Research on economic resource valuation studies in Galveston Bay. In *Proceedings of the Second State of the Bay Symposium*, Webster, TX, February 4–6. Galveston Bay National Estuary Program Publication. GBNEP-23.
- Wilkinson, C.R. 2002. *Status of Coral Reefs of the World: 2002*. Global Coral Reef Monitoring Network and Australian Institute of Marine Science, Townsville, Australia.
- Zarbock, H.W., A.J. Janicki, D.T. Logan, and D.D. MacDonald. 1996. *An Assessment of Sediment Contamination in Tampa Bay, Florida Using the Sediment Quality Triad Approach*. Prepared for Tampa Bay Estuary Program. Technical Publication No. 04-96.